EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	123517	quer$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/06 15:20
S2	2036	S1 and ((multi$1 or multipl$2 or composit$4) near quer$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/07 08:43
S3	110	S2 and (manag$4 near quer$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	· OFF	2006/04/06 16:03
S4	92	S3 and @ad<= "20031009"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/07 08:45
S5	31	S4 and (SQL)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/06 15:26
S6	595	S2 and (quer$3 near (plan or execut$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/07 08:46
S7	452	S6 and @ad<= "20031009" ·	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/06 16:02
S8	39	S7 and (manag$4 near quer$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/06 16:18

EAST Search History

S9	120	S7 and (sub-quer$3 or subquer$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/06 16:18
S10	8	S9 and (manag$4 near quer$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/06 16:58
S11	6120	S1 and ((manag$4 near quer$3) or (quer$4 near execut$4) or (quer$4 near plan$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/06 16:59
S12	4651	S11 and @ad<= "20031009"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/07 13:06
S13	1872	S12 and (schema$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/06 17:44
S14	1169	S13 and (SQL)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/06 17:39
S15	1163	S14 and (logic$2 or algorit$4 or test$1 or condition$4 or sequenc$4 or step$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/06 17:41
S16	1107	S14 and (logic$2 or algorit$4 or test$1 or condition$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/06 17:42

EAST Search History

S17	1064	S14 and (logic$2 or condition$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/06 17:42
S18	822	S17 and (schema$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/06 17:51
S19	426	S18 not (IBM or international same busines$2 same machine$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/06 17:53
S20	426	S18 not (IBM or (international same busines$2 same machine$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/07 09:12
S21	3265	((multi$1 or multipl$2 or composit$4 or complex$2) near quer$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/07 08:44
S23	2552	S21 and manag$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/07 08:44
S24	1999	S23 and @ad<= "20031009"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/10 10:05
S25	1284	S24 and (quer$3 same (plan or execut$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/07 08:46

S26	1891	S24 and (quer$3 same (plan or execut$5 or operat$3 or proces$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/07 08:51
S27	1161	S26 and (schema$2 or Plan$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/07 08:53
S28	1098	S27 and (success$6 or complet$5 or fail$5 or status or stage$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/07 13:15
S29	762	S28 and (SQL or (quer$4 near languag$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/07 13:26
S30	387	S29 not (IBM or (international same busines$2 same machine$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 15:15
S31	50	("6326962" "5841437" "4949303" "5729731" "6282581" "5999192" "5317727" "5412804" "5495614" "5619692" "5630095" "5715413" "5727196" "5940289" "6012064" "6201996" "4498145" "4774657" "4837680" "4881166" "4930072" "4996666" "5297269" "5335345" "5394523" "5428665" "5440732" "5469568" "5485607" "5495605" "5499290" "5542073" "5553279" "5574900" "5581756" "5594889" "5598559" "5603024" "5659728" "5666525" "5696960" "5710877" "5734893" "5752031" "5761653" "5778378" "5787453" "5794227" "5799210" "5806059").pn.	USPAT	OR	OFF	2006/04/07 13:04

S32	1114	(manag$4 near quer$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/07 13:05
S33	873	S32 and @ad<= "20031009"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 15:01
S34	761	S33 and (complex$1 or composit$2 or multi$2 or multipl$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/07 13:42
S35	438	S34 and (complex$1 or composit$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/07 13:13
S36	223	S35 and (plan$2 or schema$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/07 13:14
S37	223	S36 and (execut$4 or process$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/07 13:14
S38	215	S37 and (success$6 or complet$5 or fail$5 or status or stage$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 15:00
S39	121	S37 and (status)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/07 13:17

S40	94	S37 and (((initial$5 or subseque$4) or (first or second)) near quer$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/07 13:26
S41	66	S40 and (SQL or (quer$4 near languag$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/07 13:39
S43	142	S38 and (@pd<"20031009" or @pd<"20031009" not (IBM or (international same busines$2 same machine$2)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 15:21
S44	76	S43 and (SQL or (quer$4 near languag$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/07 13:40
S45	37	S43 and ((complex$1 or composit$2 or multi$2 or multipl$3) near quer$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/07 13:51
S46	7	S43 and ((complex$1 or composit$2) near quer$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/07 13:52
S47	49	S41 and (@pd<"20031009" or @pd<"20031009" not (IBM or (international same busines$2 same machine$2)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 15:19
S48	5	("5418944" | "5812840" | "5953723").PN. OR ("6434545"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 16:48
S49	5	("5418944" | "5812840" | "5953723").PN. OR ("6434545"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/10 16:04

S50	9	("5412806" | "5418944" | "5495605" | "5812840" | "5953723" | "5963984" | "6026391" | "6243703" | "6434545").PN. OR ("6744449"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/10 16:16
S51	37	("4769772" | "5091852" | "5367675" | "5418950" | "5421008" | "5495605" | "5548755" | "5615361" | "5659728" | "5668966" | "5668987" | "5696960" | "5713020" | "5721900" | "5724570" | "5761657" | "5819255" | "5822747" | "5822750" | "5855012" | "5864840" | "5913205" | "5937401" | "5960427" | "5966126" | "6021405" | "6032143" | "6111574" | "6208985" | "6229538" | "6253195" | "6275801" | "6275818" | "6295517" | "6326962" | "6362836" | "6434545").PN. OR ("6785668").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/10 16:18
S52	1114	(manag$4 near quer$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/10 16:55
S53	873	S52 and @ad<= "20031009"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/10 16:55
S54	761	S53 and (complex$1 or composit$2 or multi$2 or multipl$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/10 16:55
S55	438	S54 and (complex$1 or composit$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/10 16:55
S56	223	S55 and (plan$2 or schema$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/10 16:55

EAST Search History

S57	223	S56 and (execut$4 or process$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/10 16:55
S58	215	S57 and (success$6 or complet$5 or fail$5 or status or stage$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/10 16:55
S59	142	S58 and (@pd<"20031009" or @pd<"20031009" not (IBM or (international same busines$2 same machine$2)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 14:54
S60	3	(("6343295") or ("6434558") or ("6356901")).PN.	USPAT; USOCR	OR	OFF	2006/04/11 10:47
S61	1	09/344,999	USPAT	OR	OFF	2006/04/11 10:47
S62	1116	(manag$4 near quer$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 11:11
S63	875	S62 and @ad<= "20031009"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 11:11
S64	763	S63 and (complex$1 or composit$2 or multi$2 or multipl$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 11:11
S65	440	S64 and (complex$1 or composit$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 11:11

EAST Search History

S66	223	S65 and (plan$2 or schema$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 11:11
S67	223	S66 and (execut$4 or process$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 11:11
S68	215	S67 and (success$6 or complet$5 or fail$5 or status or stage$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 11:12
S69	215	S68 and (success$6 or complet$5 or fail$5 or statu$2 or error$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 11:14
S70	165	S68 and (success$6 or fail$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 11:15
S71	107	S70 and (@pd<"20031009" or @pd<"20031009" not (IBM or (international same busines$2 same machine$2)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 12:17
S72	105053	(quer$3 and (execut$4 or proces$6) and (error$2 or fail$4 or process$4 or status or complet$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 12:25
S73	0	(quer$3 and (execut$4 or proces$6) and (error$2 or fail$4 or process$4 or status or complet$3) and if)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 12:25

EAST Search History

S74	105053	(quer$3 and (execut$4 or proces$6) and (error$2 or fail$4 or process$4 or status or complet$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 15:17
S75	276	S74 and ((quer$3 near select$3) same (fail$4 or error$2 or status or stage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 15:20
S76	73	S75 and ((quer$3 near select$3) same (fail$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 15:20
S77	42	S76 and (@pd<"20031009" or @pd<"20031009" not (IBM or (international same busines$2 same machine$2)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 15:21
S78	105409	(quer$3 and (execut$4 or proces$6) and (error$2 or fail$4 or process$4 or status or complet$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 13:47
S79	277	S78 and ((quer$3 near select$3) same (fail$4 or error$2 or status or stage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 13:47
S80	73	S79 and ((quer$3 near select$3) same (fail$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 13:47
S81	5	S80 and (return$1 near (value or code or number))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 13:52

EAST Search History

S82	39	S79 and (return$1 near (value or code or number))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 13:56
S83	16	(US-20050071331-$ or US-20040267719-$ or US-20040015511-$ or US-20040010488-$ or US-20030014393-$ or US-20030187977-$ or US-20020026443-$ or US-20030126136-$ or US-20030159116-$ or US-20030154210-$).did. or (US-6785668-$ or US-6434545-$ or US-6578046-$ or US-6263342-$ or US-6233586-$ or US-5940819-$).did.	US-PGPUB; USPAT	OR	OFF	2006/04/17 13:56
S84	10	S83 and (return$1 near (value or code or number))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 14:58
S85	8126	S78 and (return$1 near (value or code or number or error))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 14:59
S86	8169	S78 and (return$1 near (value or code or number or error$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 15:54
S87	7954	S86 and (success$6 or complet$5 or fail$5 or status or stage$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 15:00
S88	7953	S86 and (success$6 or complet$5 or fail$5 or status or stage$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/04/17 15:00

EAST Search History

S89	6345	S88 and @ad<= "20031009"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 15:18
S90	1617	S89 and (SQL or (quer$2 adj languag$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 15:05
S91	1009	S90 and (quer$2 same (execut$4 or process))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 15:06
S92	635	S91 and (fail$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 15:06
S93	533	S91 not (IBM or (international same busines$2 same machine$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 15:16
S94	353	S91 and (@pd<"20031009" not (IBM or (international same busines$2 same machine$2)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 15:20
S95	353	S94 and (return$1 near (value or code or number or error$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 17:35
S96	315	S94 and (return$1 adj (value or code or number or error$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 15:55

EAST Search History

S97	322	S94 and (return$1 near (code or error$1 or value))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 17:36
S98	237	S94 and (return near (code or error$1 or value))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 17:36
S99	221	S94 and (return adj (code or error$1 or value))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 17:37
S10 0	222	S94 and (return adj (code or error$1 or value or fail$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 17:52
S10 1	34	S94 and ((return adj (code or error$1 or value)) same fail$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 18:00
S10 2	1	S94 and ((return adj (code or error$1 or value)) same fail$4 same quer$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 18:01
S10 3	78	((selection near logic) same quer$3)	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/04/18 15:20
S10 4	28	S103 and (@pd<"20031009" or @pd<"20031009" not (IBM or (international same busines$2 same machine$2)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 14:54
S10 5	38	((selection near logic) same quer$3) and fail$4	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/04/18 15:20

S106	23	S105 and @ad<"20031009"	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	OFF	2006/04/18 15:21
S107	1	("6725227").PN.	USPAT; USOCR	OR	OFF	2006/05/09 16:01
S108	0	10/403366	USPAT	OR	OFF	2006/05/09 16:02
S109	0	10/403,366	USPAT	OR	OFF	2006/05/09 16:01
S110	3	10/403366	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	OFF	2006/05/09 16:02
S111	5	("5418944" | "5812840" | "5953723").PN. OR ("6434545"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/09 16:09
S112	106921	(quer$3 and (execut$4 or proces$6) and (error$2 or fail$4 or process$4 or status or complet$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/09 17:42
S113	8245	S112 and (return$1 near (value or code or number or error$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/09 17:10
S114	8024	S113 and (success$6 or complet$5 or fail$5 or status or stage$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/09 17:10
S115	6385	S114 and @ad<= "20031009"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/09 17:10
S116	1623	S115 and (SQL or (quer$2 adj languag$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/09 17:10

EAST Search History

S11 7	1014	S116 and (quer$2 same (execut$4 or process))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/09 17:46
S11 8	353	S117 and (@pd<"20031009" not (IBM or (international same busines$2 same machine$2)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/09 17:44
S11 9	51421	(quer$3 same (execut$4 or proces$6) same (error$2 or fail$4 or process$4 or status or complet$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/09 17:42
S12 0	27347	S119 and @pd<"20031009"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/09 17:44
S12 1	20653	S120 not (IBM or (international same busines$2 same machine$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/09 17:45
S12 2	15365	S120 and (quer$2 same (execut$4 or process))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/09 17:47
S12 3	2162	S120 and (quer$3 with (fail$4 or error$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/09 17:49
S12 4	141	S123 and (quer$3 with (fail$4 or error$2) with condition$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/09 17:49

EAST Search History

S12 5	34257	"707"/.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/10 09:55
S12 6	3999	S125 and ((composite$2 or multiple$2 or multi$2 or plan) with quer$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/10 09:58
S12 7	784	S126 and ((fail$3 or error$2) with quer$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/10 10:11
S12 8	303	S127 and ((schema$2 or plan$4) with quer$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/10 10:04
S12 9	239	S128 and @ad<= "20031009"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/10 10:05
S13 0	112	S129 and ((fail$3) with quer$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/10 10:13
S13 1	16	S129 and (((fail$3) with quer$3) same (factor$3 or condition$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/10 10:14
S13 2	34257	"707"/.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/10 14:09

EAST Search History

S13 3	3999	S132 and ((composite$2 or multiple$2 or multi$2 or plan) with quer$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/10 14:09
S13 4	784	S133 and ((fail$3 or error$2) with quer$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/10 14:09
S13 5	303	S134 and ((schema$2 or plan$4) with quer$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/10 14:09
S13 6	239	S135 and @ad<= "20031009"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/10 14:09
S13 7	112	S136 and ((fail$3) with quer$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/10 14:12
S13 8	13	S136 and (((fail$3) with quer$3) same plan$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/10 14:26
S13 9	23	S133 and (((fail$3) with quer$3) same plan$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/10 14:26